SUNHEART CERAMIX

TILES | BATHWARE | ADHESIVE



20 120

GLAZED VITRIFIED TILES (WOOD STRIPS)

SUNHEARRT INTRODUCTION

Path-breaking innovations with a Promise of quality!

Inspired in collection, and unmatched in design; Sunhearrt, a brand by Sunshine Tiles Company Pvt. Ltd., through its novel technology and product introductions, is leading the Ceramic industry to achieve a peerless national and global reputation in becoming a single-stop solution for any space amplification.

Penetrating the industry with an everexpanding portfolio, Sunhearrt has now diversified its core strength of Ceramics, and Vitrified tiles into GVT/PVT, Porcelain, Sanitaryware, as well as a range of complete Tiling Solutions.

Company strength and achievements that defines our place in the industry.

















Elevating spaces, uplifting surface experience!


Reshaping spaces by constantly enhancing surroundings with new possibilities. Sunhearrt promises the amalgamation of innovation and style, crafting high-end ceramic excellence. It is about taking space to a higher level, making it more appealing and adaptive.

Our focus lies in transcending the ordinary, where every tile, every design, echoes the essence of sophistication and durability. Sunhearrt stands as a beacon for those seeking not just elegance but an enduring legacy woven into the very fabric of their spaces.




Tiles

Flooring the extensions of your dream space, tiles from Sunhearrt are a great addition to every ambience. With their simplistic elegance and finesse, our tiles introduce modernity and grandeur by manufacturing the best alternatives and replacements to natural surfaces. This collection, thence, is the perfect choice for 'architecting' the spectacular!







A WOODEN CAMOUFLAGE



INTRODUCTION

INDULGING IN THE TRANCE OF WOODS!


Embrace the creative rush that these magnificent tiles offer, replicating nature's elegance and bringing its elements to life.





Behold your excitement as you unfold a bespoke ceramic artistry - WOODLOT COLLECTION, where nature meets sophistication. Immerse yourself in the warmth and character of real wood, artfully captured in these tiles. The rustic matte finish adds a touch of authenticity, creating a timeless and inviting atmosphere.


Elevate your space with the charm of wood without compromising on the durability and ease of maintenance that these ceramic excellence offer. Sunhearrt, through its Woodlot Collection, welcomes you to a world where classic aesthetics blend seamlessly with contemporary convenience, transforming your surroundings into a haven of style and comfort.



NURTURING WARM ARENAS

Enrich your space with the richness of nature and its elements brought to life through splendid tiles.





A DEEPER CONFLUENCE!

Redefine elegance in your space with tiles composed of 9mm thickness and a sleek format offering enhanced durability & strength.



Innovatively Designed

Now seamlessly decor your space with tiles that showcase innovative designs by replicating wood's natural and grainy textures.

Improved Features


With ease of maintenance and an authentic yet surreal look, these surfaces enhance the beauty of any applied area or space.

Intricate Details

The diversity of nature and its intricacy is well articulated on the tile's surface with details and distinction.

Higher Durability

The high-end surface with durable thickness offers resilience & raw elegance to varied settings.



DYNAMIC FINISHES FOR DYNAMIC SPACES

Finish Matt



The matt finish combines the warmth of natural wood aesthetics with a subdued, textured surface, imparting a charming and tactile appeal.

Finish Rustic



The rustic finish of meticulously crafted tiles adds a weathered and textured charm, replicating the authentic character of aged wood. This finish attributes a lived-in feel but also contributes to a unique and timeless atmosphere in any space.

These precisely crafted surfaces boast several noteworthy features like easy to clean, smooth texture, highly resistant and more. These tiles combine the warmth of natural wood aesthetics with practical benefits, making them a versatile and stylish choice for flooring. With myriad of decor possibilities, look no further to add elegance and excellence to your space.











Simply Amazing Detail

These effortlessly crafted ceramic pieces are simply amazing, merging the timeless allure of natural wood with the practical advantages of modern tiling.

Natural Finesse

These tiles exude natural finesse, capturing the essence of authentic wood with remarkable precision. Their natural appeal showcases exceptional attention to detail and design finesse.

Committed to Innovation

Pushing boundaries with cutting-edge designs and features that redefine traditional flooring aesthetics. With such masterpieces, we showcase a steadfast commitment to pioneering solutions in the world of interior design.

Limitless Creativity

These marvelously designed tiles open the door to limitless creativity, allowing for innovative and customizable designs that cater to diverse design preferences and styles.

VERSATILITY

We promise versatility in design, texture, pattern and perspectives. We provide everything in one place, ensuring you a seamless ceramic experience.

MORE SOFTNESS AND CLEANLINESS


Sunhearrt's wood-look surfaces from the Woodlot Collection boast modern aesthetics and enhanced features, making it ideal for myriad spaces. Applaud the tiles' sheer quality!

MORE HARMONY

We aim to surpass expectations by constantly creating masterpieces. These tiles are a testament to excellence that harmonizes with any decor style and mirrors your imagination.

SAME SURFACE, ENDLESS PURPOSES

Look no further for versatile applicability as you unfold this magnificent all-in-one surface to match your vibe, vision, and imagination. These tiles create a surreal feeling by surrounding your space with nature's elegance.





finish: matt



bostan brown



random: 8 faces

bostan brown

finish: matt



finish: matt



bostan sandal



random: 8 faces

bostan sandal

finish: matt





angles apex



random: 8 faces

angeles apex





angles zenith



random: 8 faces

angeles zenith





charm amber



random: 10 faces

charm ambar





charm brown



random: 10 faces

charm brown





charm cream



random: 8 faces



grain chocolate



random: 8 faces

grain chocholate





harmony amber



random: 9 faces

harmony ambar





kingwood beige



random: 9 faces

kingwood beige





kingwood brown



random: 9 faces

kingwood brown





kingwood zenith



random: 9 faces

kingwood zenith

finish: rustic





lance wood



random: 9 faces



levis brown



random: 10 faces

levis brown finish: rustic





levis tobeco



random: 10 faces

levis tobeco finish: rustic





roverwood natural



random: 6 faces

roverwood natural

finish: rustic





roverwood pine



random: 6 faces

roverwood pine

finish: rustic



TECHNICAL SPECIFICATION OF GVT / PGVT

SR. NO.	CHARACTERISTICS	IS 15622:2017 GROUP BIA E ≤ 0.08	ISO 13006:2018 GROUP BIA EV ≤ 0.5 %	EN 14411:2016 GROUP BIA EV ≤ 0.5 %	SUNHEARRT VALUE	TEST METHOD		
A - DIMENSION & SURFACE QUALITY (WHICH EVER IS LESS IS APPLICABLE)								
i	Length & Width	±0.1%	± 0.3% OR ± 1.0 mm	± 0.6% OR ± 2.0 mm	± 0.1%			
ii	Thickness	± 5.0%	± 5.0% OR ± 0.5 mm	± 5.0% OR ± 0.5 mm	± 5.0%			
iii	Straightness Of Side	±0.1%	± 0.3% OR ± 0.8 mm	± 0.5% OR ± 1.5 mm	± 0.1%			
iv	Rectengularity	±0.1%	± 0.3% OR ± 1.5 mm	± 0.5% OR ± 2.0 mm	± 0.1%			
V	Surface Flatness					ISO 10545 - 2		
а	Center Curvature (%)	± 0.5%	± 0.4% OR ± 1.8 mm	± 0.5 % OR ± 2.0 mm	± 0.5 %	IS 13630 (Part 1)		
b	Edge Curvature (%)	± 0.5%	± 0.4% OR ± 1.8 mm	± 0.5 % OR ± 2.0 mm	± 0.5 %	% of tiles e free from		
С	Corner Warpage (%)	± 0.5%	± 0.4% OR ± 1.8 mm	± 0.5 % OR ± 2.0 mm	± 0.5 %			
vi	Surface Quality	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects			
B - PHYSICAL PROPERTIES								
i	Water Absorption	<0.08% Ind Max 0.1%	<0.5% Ind Max 0.6%	<0.5% Ind Max 0.6%	<0.08% Ind Max 0.1%	ISO 10545-3 IS 13630 (Part 2)		
ii	Modulus Of Rupture [n/mm2]	Av 35, Individual 32 min	Av 35, Individual 32 min	Av 35, Individual 32 min	Min 38	ISO 10545-4		
iii	Breaking Strength In N	1300 for ≥ 7.5mm thickness	1300 for ≥ 7.5mm thickness	1300 for ≥ 7.5mm thickness	IS 136 Min-1500	IS 13630 (Part 6)		
iv	Moisture Expansion In Mm/m	0.02	0.06% /0.6mm/m	0.06% /0.6mm/m	Nil	ISO 10545-10 IS 13630 (Part 3)		
	Resistance To Abrasion Of Glazed Tiles (Class I To V)	Minimum Class II	Depending on surface (As reported)	Depending on surface (As reported)	Min Class-III	ISO 10545-7 IS 13630 (Part 11)		
V	Resistance To Deep Abrasion Of Unglazed Tiles (volume Removed In Mm³)	Not Applicable	Not Applicable	Not Applicable	Not Applicable	ISO 10545-6 IS 13630 (Part 12)		
vi	Coefficient Of Linear Thermal Expansion From Embiant Temperature To 100 0 C	6 X 10 ⁻⁶ K ⁻¹	9 X 10 ⁻⁶ K ⁻¹ max	9 X 10 ⁻⁶ K ⁻¹ max	6 X 10 ⁻⁶ K ⁻¹	ISO 10545-8 IS 13630 (Part 4)		
vii	Thermal Shock Resistance	10 Cycle Passed	10 cycle min	10 cycle min	10 cycle Passed	ISO 10545-9 IS 13630 (Part 5)		
viii	Crazing Resistance	4 cycle	2 Cycle (@ 5 bar))	2 Cycle (@ 5 bar))	4 cycle passed	ISO 10545-11 IS 13630 (Part 9)		
ix	Frost Resistance	100 Cycle	Required	Required	Passed	ISO 10545-12 IS 13630 (Part-10)		
х	Impact Resistance	0.55	0.55	0.55	0.8	ISO 10545-5 IS 13630 (Part 14)		
xi	Bulk Density	2.2		Not A requirement	2.2	ISO 10545-3 IS 13630 (Part 2)		
C-	C - CHEMICAL PROPERTIES							
i	Stain Resistance	Min Class I	Min Class 3	Min Class 3	Min Class I	ISO 10545-14 IS 13630 (Part 8)		
ii	Resistance To Household Chemicals	Class AA	Min Class B	Min Class B	Class AA	ISO 10545-13 IS 13630 (Part 8)		
iii	Resistance To Acid And Alkalies	Class AA	Decleared Value	Decleared Value	Class AA	ISO 10545-13 IS 13630 (Part 8)		

PACKING DETAILS

SIZE	PIECES / BOX	COVERAGE AREA / BOX		WEIGHT / BOX
20x120cm	5	12.92 sq. ft.	1.20 sq. mtr	24 Kg (approx)

Note: Color shown in catalog may vary with the original tile. Slight shade & size variation is an inherent property of Ceramic / Vitrified tiles. For Normal Glossy Class III, High Glossy Class III/Class III, Matt Class III/Class IV.





TILES | BATHWARE | ADHESIVE

SUNHEARRT CERAMIX PRIVATE LIMITED

(Formerly Known as Sunshine Tiles Company Pvt. Ltd.)

101-103, First Floor, Titanium One, Near Pakwan Cross Roads, S. G. Highway, Ahmedabad - 380 054. Gujarat, INDIA T. +91-79-29704833, +91-79-61554444 | E. info@sunhearrt.com

COMPANY EXPERIENCE CENTRE

"Sunhearrt Ceramix" Unit-1, S.No. 150 & 160/P1, 8-A-National Highway, At. Dhuva, Tal, Wankaner,

Dist. Morbi - 363621 (Gujarat)

MUMBAI OFFICE

301/A, 3rd Floor, Sri Krishna, Opp. Laxmi Industrial Estate, New Link Road, Andheri (W) Mumbai - 400053 (Maharashtra) **T.** +91-99099 80498 | **E.** showroom1.mh@sunhearrt.com

DELHI OFFICE

D-1, Mansarovar Garden, New Delhi-110015

T. +91-95120 00324

E. showroom1.dl@sunhearrt.com

BENGALURU OFFICE

150 Rashtriya Vidyalay Road, Nr. Minerva Circle, Vishweshwarapura, Mavalli, Bangalore - 560004 (Karnataka) **T.** +91-95120 00270 | **E.** showroom1.ka@sunhearrt.com

CHENNAI OFFICE

"Megh Towers" Old No. 307, New No. 165, Poonamallee High Road, Maduravoyal, Chennai - 600095 (Tamilnadu) **T.** +91-70944 39491 | **E.** showroom2.tn@sunhearrt.com

COCHIN OFFICE

Jacob's Building, 1st Floor, Nh Bye Pass-66, Geethanjali Bus Stop, Vyttila, Kerla-682024 **T.** +91-99099 88625 | **E.** showroom1.kl@sunhearrt.com

INTERNATIONAL ENQUIRY

T. +91-99099 88489 | **E.** export@sunhearrt.com

TOLL FREE: 1800 233 1012

E. info@sunhearrt.com | www.sunhearrt.com















