

SUNHEART CERAMIX

TILES | BATHWARE | ADHESIVE



60x60
120x60

&

FULLBODY TILES
(OPACO SERIES)

SUNHEARRT INTRODUCTION

Path-breaking innovations with a Promise of quality!

Inspired in collection, and unmatched in design; Sunhearrrt, a brand by Sunshine Tiles Company Pvt. Ltd., through its novel technology and product introductions, is leading the Ceramic industry to achieve a peerless national and global reputation in becoming a single-stop solution for any space amplification.

Penetrating the industry with an ever-expanding portfolio, Sunhearrrt has now diversified its core strength of Ceramics, and Vitrified tiles into GVT/PVT, Porcelain, Sanitaryware, as well as a range of complete Tiling Solutions.

Company strength and achievements that defines our place in the industry.



AMONG **TOP 10** CERAMIC BRANDS IN INDIA



ONE OF **THE LARGEST TILE EXPORTERS**, CONSECUTIVELY FOR THE LAST 6 YEARS



14+ SIZES under one roof + **14+ Unique Surfaces**



PRESENCE IN **83+ COUNTRIES**



28 MILLION SQM. MANUFACTURING CAPACITY/ANNUM



THE FIRST COMPANY IN THE CERAMIC INDUSTRY WITH **3-STAR EXPORT HOUSE**



1195+ BUSINESS PARTNERS



INVESTMENTS IN **RENEWABLE ENERGY**

Elevating spaces, uplifting surface experience!

Reshaping spaces by constantly enhancing surroundings with new possibilities. Sunhearrrt promises the amalgamation of innovation and style, crafting high-end ceramic excellence. It is about taking space to a higher level, making it more appealing and adaptive.

Our focus lies in transcending the ordinary, where every tile, every design, echoes the essence of sophistication and durability. Sunhearrrt stands as a beacon for those seeking not just elegance but an enduring legacy woven into the very fabric of their spaces.



Tiles

Flooring the extensions of your dream space, tiles from Sunhearrrt are a great addition to every ambience. With their simplistic elegance and finesse, our tiles introduce modernity and grandeur by manufacturing the best alternatives and replacements to natural surfaces. This collection, thence, is the perfect choice for ‘architecting’ the spectacular!

INTRODUCTION

Discover the blend of perfect tile size with textures that complement your space.




The versatile tile size of the world of ceramics paired 60x120cm with the innovation punch pro and Liner Punch of the Fullbody Collection is the perfect recipe to craft spaces versatile in style and function. The colors, the punches, and the size altogether form a solution your spaces need.



ACHIEVE YOUR DREAM SPACE

Discover the blend of perfect tile size with textures that complement your space.



The versatile tile size of the world of ceramics paired 60x120cm with the innovation punch pro and Liner Punch of the Fullbody Collection is the perfect recipe to craft spaces versatile in style and function. The colors, the punches, and the size altogether form a solution your spaces need.

Innovatively Designed

The designs curated and etched on the tile's surface portray the cosmic-inspired details and are distinctive.

Improved Features

The latest technology & techniques are used to enhance tiles' features with myriad of decor possibilities.

Classy Size

The larger format allows for more intricate details and a grander depiction of celestial elements.


Higher Durability

High-quality material selection & improvised processes enhance tile's durability, making them withstand test of time.






OPACO BRICK CREMA + OPACO DUSTER CREMA




OPACO DUSTER CREMA
Finish MATT
Random 1 Face




OPACO DUSTER KOTTA
Finish MATT
Random 1 Face




OPACO LINER CREMA
Finish RUSTIC
Random 1 Face




OPACO LINER KOTTA
Finish RUSTIC
Random 1 Face




OPACO BRICK CREMA
Finish RUSTIC
Random 1 Face




OPACO BRICK KOTTA
Finish RUSTIC
Random 1 Face




OPACO DUSTER WHITE
Finish MATT
Random 1Face




OPACO DUSTER GREY
Finish MATT
Random 1Face




OPACO DUSTER BLACK
Finish MATT
Random 1Face




OPACO LINER WHITE
Finish RUSTIC
Random 1Face




OPACO LINER GREY
Finish RUSTIC
Random 1Face




OPACO LINER BLACK
Finish RUSTIC
Random 1Face



OPACO BRICK WHITE
Finish RUSTIC
Random 1Face



OPACO BRICK GREY
Finish RUSTIC
Random 1Face



OPACO BRICK BLACK
Finish RUSTIC
Random 1Face




OPACO LINER GREY + OPACO DUSTER WHITE

ACHIEVE YOUR DREAM SPACE

Witness the symmetry of size and pattern with the balance of format and design.

The exclusive collection brings you a tile size and punch pattern perfect in symmetry. The Cube & Urban Punch of the Fullbody collection in 60x60cm size perfectly complements each other with symmetry and allows you to craft spaces rich in art and architecture with pieces that t t right together.



Innovatively Designed

The designs curated and etched on the tile’s surface portray the cosmic-inspired details and are distinctive.

Improved Features

The latest technology & techniques are used to enhance tiles’ features with myriad of decor possibilities.

Classy Size

The larger format allows for more intricate details and a grander depiction of celestial elements.


Higher Durability

High-quality material selection & improvised processes enhance tile’s durability, making them withstand test of time.






OPACO CUBE KOTTA & OPACO DUSTER KOTTA




OPACO DUSTER CREMA
Finish Random Matt 1 Face




OPACO DUSTER KOTTA
Finish Random Matt 1 Face




OPACO DUSTER WHITE
Finish Random Matt 1 Face



OPACO CUBE CREMA
Finish Random Rustic 1 Face




OPACO CUBE KOTTA
Finish Random Rustic 1 Face




OPACO CUBE WHITE
Finish Random Rustic 1 Face




OPACO DUSTER GREY
Finish Random Rustic 1 Face



OPACO DUSTER BLACK
Finish Random Rustic 1 Face



OPACO CUBE GREY
Finish Random Rustic 1 Face



OPACO CUBE BLACK
Finish Random Rustic 1 Face



OPACO CUBE BLACK

TECHNICAL SPECIFICATION OF **FULLBODY (UNGLAZED)**

Sr. No.	Characteristics	IS 15622:2017 Group Bla E ≤ 0.08	ISO 13006:2018 Group Bla Ev ≤ 0.5 %	EN 14411:2016 Group Bla Ev ≤ 0.5 %	SUNHEARRT VALUE	TEST METHOD
A - DIMENSION & SURFACE QUALITY						
i	Length & Width	±0.1%	± 0.3% OR ± 1.0 mm	± 0.6% OR ± 2.0 mm	< 0.1%	ISO 10545 - 2 IS 13630 (Part 1)
ii	Thickness	± 5.0%	± 5.0% OR ± 0.5 mm	± 5.0% OR ± 0.5 mm	< 5.0%	
iii	Straightness Of Side	±0.1%	± 0.3% OR ± 0.8 mm	± 0.5% OR ± 1.5 mm	< 0.1%	
iv	Rectengularity	±0.1%	± 0.3% OR ± 1.5 mm	± 0.5% OR ± 2.0 mm	< 0.1%	
v	Surface Flatness					
a	Center Curvature (%)	± 0.5%	± 0.4% OR ± 1.8 mm	± 0.5 % OR ± 2.0 mm	< 0.5 %	
b	Edge Curvature (%)	± 0.5%	± 0.4% OR ± 1.8 mm	± 0.5 % OR ± 2.0 mm	< 0.5 %	
c	Corner Warpage (%)	± 0.5%	± 0.4% OR ± 1.8 mm	± 0.5 % OR ± 2.0 mm	< 0.5 %	
vi	Surface Quality	Min. 95 % of tiles shall be free from visible defects	Min. 95 % of tiles shall be free from visible defects	Min. 95 % of tiles shall be free from visible defects	Min. 95 % of tiles will be free from visible defects	
B - PHYSICAL PROPERTIES						
i	Water Absorption	<0.08% Ind Max 0.1%	<0.5% Ind Max 0.6%	<0.5% Ind Max 0.6%	≤ 0.08 %	ISO 10545-3 IS 13630 (Part 2)
ii	Modulus Of Rupture [N/mm2]	Av 35, Individual 32 min	Av 35, Individual 32 min	Av 35, Individual 32 min	> 35	ISO 10545-4 IS 13630 (Part 6)
iii	Breaking Strength In N	700 for < 7.5mm thickness 1300 for ≥ 7.5mm thickness	700 for < 7.5mm thickness 1300 for ≥ 7.5mm thickness	700 for < 7.5mm thickness 1300 for ≥ 7.5mm thickness	>1300	
iv	Moisture Expansion In Mm/m	0.02, max	Test method available	Declared Value	< 0.02	ISO 10545-10 IS 13630 (Part 3)
v	Resistance To Abrasion of Glazed Tiles (Class I To V)	Not Applicable	Not Applicable	Not Applicable	Not Applicable	ISO 10545-7 IS 13630 (Part 11)
	Resistance To Deep Abrasion Of Unglazed Tiles (volume Removed In Mm³)	Max-140	Max -175	Max -175	< 140	ISO 10545-6 IS 13630 (Part 12)
vi	Coefficient Of Linear Thermal Expansion From Embiant Temperature To 100 0 C	6 X 10 ⁻⁶ K ⁻¹ max	Test method available	Declared Value	< 6 X 10 ⁻⁶ K ⁻¹	ISO 10545-8 IS 13630 (Part 4)
vii	Thermal Shock Resistance	10 Cycle Passed	Test method available	Pass according to EN ISO 10545-1	Passed 10 cycle	ISO 10545-9 IS 13630 (Part 5)
viii	Crazing Resistance	Not Applicable	Not Applicable	Not Applicable	Not Applicable	ISO 10545-11 IS 13630 (Part 9)
ix	Impact Resistance	0.55, min	Declared Value	Declared Value	> 0.55	ISO 10545-5 IS 13630 (Part 14)
C - CHEMICAL PROPERTIES						
i	Stain Resistance	Min Class 2	Test method available	Declared Value	Min Class 2	ISO 10545-14 IS 13630 (Part 7)
ii	Resistance To Household Chemicals	Required, if agreed according to the chemical resistance class indicated by the manufacturer	Class UB	Min Class UB	Required, if agreed according to the chemical resistance class indicated by the manufacturer	ISO 10545-13 IS 13630 (Part 7)
iii	Resistance To Acid And Alkalies	Required, if agreed according to the chemical resistance class indicated by the manufacturer	Declared Value	Declared Value	Required, if agreed according to the chemical resistance class indicated by the manufacturer	ISO 10545-13 IS 13630 (Part 7)

PACKING DETAILS

S.No.	SIZE	PIECES / BOX	COVERAGE AREA / BOX	WEIGHT / BOX
1	60x120cm	2	1.44 sq. mtr / 15.50 sq. ft.	28 kg (Approx)
2	60x60cm	4	1.44 sq. mtr / 15.50 sq. ft.	27.5 kg (Approx)

Note: 1) Color shown in catalog may vary with the original tile. Slight shade & size variation is an inherent property of Ceramic / Vitrified tiles.
2)The M.O.R. and Breaking Strength will be well above the minimum required values.



SUNHEARRT CERAMIX

TILES | BATHWARE | ADHESIVE

SUNHEARRT CERAMIX PRIVATE LIMITED
(Formerly Known as Sunshine Tiles Company Pvt. Ltd.)

101-103, First Floor, Titanium One, Near Pakwan Cross Roads, S. G. Highway, Ahmedabad - 380 054. Gujarat, INDIA
T. +91-79-29704833, +91-79-61554444 | E. info@sunheartrt.com

COMPANY EXPERIENCE CENTRE

"Sunheartrt Ceramix" Unit-1, S.No. 150 & 160/P1,
8-A-National Highway, At. Dhuva, Tal, Wankaner,
Dist. Morbi - 363621 (Gujarat)

MUMBAI OFFICE

301/A, 3rd Floor, Sri Krishna, Opp. Laxmi Industrial Estate,
New Link Road, Andheri (W) Mumbai - 400053 (Maharashtra)
T. +91-99099 80498 | E. showroom1.mh@sunheartrt.com

DELHI OFFICE

D-1, Mansarovar Garden, New Delhi-110015
T. +91-95120 00324
E. showroom1.dl@sunheartrt.com

BENGALURU OFFICE

150 Rashtriya Vidyalay Road, Nr. Minerva Circle,
Vishweshwarapura, Mavalli, Bangalore - 560004 (Karnataka)
T. +91-95120 00270 | E. showroom1.ka@sunheartrt.com

CHENNAI OFFICE

"Megh Towers" Old No. 307, New No. 165,
Poonamallee High Road, Maduravoyal, Chennai - 600095 (Tamilnadu)
T. +91-70944 39491 | E. showroom2.tn@sunheartrt.com

COCHIN OFFICE

Jacob's Building, 1st Floor, Nh Bye Pass-66,
Geethanjali Bus Stop, Vyttila, Kerla-682024
T. +91-99099 88625 | E. showroom1.kl@sunheartrt.com

INTERNATIONAL ENQUIRY

T. +91-99099 88489 | E. export@sunheartrt.com

TOLL FREE: 1800 233 1012

E. info@sunheartrt.com | www.sunheartrt.com

