Packing & Loading Presentation & Configurations (20ft Container) Type 01




60x120cm



www.sunhearrt.com

Packing and Loading Presentation & Configuration (20ft Container) of 60x120cm

















Well-Protected Tiles Packaging



Thin Brown Paper separator is used between two tiles

Plastic Corner Guard being used as corner protector

Empty Tiles Box Weight & Thickness


0.40kg(Approx) Weight of empty corrugated box

10 150



SUNHEARRT CERAMIK

600x1200mm GLAZED PORCELAIN TILES



SUNHEARRT

CERAMIK


- 3 ply corrugated box is used for tiles packing
- 2.6mm(Approx) thickness of empty corrugated box

SUNHEARRT CERAMIK

2pcs Tiles Box Weight & Thickness



20mm(Approx) thickness of complete box



- 1. Pallet is made of normal wood
- 2. Shorter planks of 2cm thickness as 3rd layer.
- 3. Total 9 Number of wooden strip will be use
- 4. Size of pallet (approx):

SUNHEARRT CERAMIK

Length	Width	Wooden Height	Iron Height
48 inch	36 inch	4.5 inch	22.5 inch
(121.92cm)	(91.44cm)	(11.43cm)	(57.15cm)

5. Dimensions may vary between $\pm 0-3\%$



SUNHEARRT CERAMIK Pallet Details



70mm Gap between top of two wooden planks 14.55kg(Approx) Weight of empty pallet

75mm Thickness of wooden strip

Step 1 Pallet Packing Process






Step 2 Pallet Packing Process





1st Strapping over the entire box set after palletizing.







- 34 Boxes are tightly arrange in one pallets
- Hard corrugated strip is used to protect pallet corners

SUNIHEAR CERAMI

Step 4 Pallet Packing Process





- 3 horizontal strips are used to tie

- Boxes & wrapped with transparent cling film



- 2 horizontal & 3 vertical straps are used to tie then loading is done in container



20ft Container Loading



Pallet Layer

1	4	7
2	5	8
3	6	9
10	13	16
11	14	17
12	15	18
19	21	23
20	22	24
25	27	29
26	28	30

30 Pallets in 20 feet container



Fumigation Process





Fumigation is done as per ISPM-15 by Methyl Bromide All Wooden pallets are fumigated before loading and Fumigation stamp is marked as visible on bottom of all wooden pallets



CORPORATE OFFICE (AHMEDABAD)

101–103, First Floor, Titanium One, Near Pakwan Cross Roads, S. G. Highway, Ahmedabad – 380 054. Gujarat, INDIA **T.**+91–79–29704833, +91–79–61554444 | **E.** info@sunhearrt.com

MUMBAI OFFICE

301/A, 3rd Floor, Sri Krishna, Opp. Laxmi Industrial Estate, New Link Road, Andheri (W) Mumbai - 400053 (Maharashtra) **T.** +91–99099 80498 | **E.** showroom1.mh@sunhearrt.com

CHENNAI OFFICE

COCHIN OFFICE

"Megh Towers" Old No. 307, New No. 165, Poonamallee High Road, Maduravoyal, Chennai - 600095 (Tamilnadu) **T.** +91-70944 39491 | **E.** showroom2.tn@sunhearrt.com

DELHI OFFICE

D-1, Mansarovar Garden, New Delhi-110015 T. +91-95120 00324 E. showroom1.dl@sunhearrt.com

BENGALURU OFFICE

150 Rashtriya Vidyalay Road, Nr. Minerva Circle, Vishweshwarapura, Mavalli, Bangalore - 560004 (Karnataka) **T.** +91–95120 00270 | **E.** showroom1.ka@sunhearrt.com

INTERNATIONAL ENQUIRY

T. +91-99099 88489 | E. export@sunhearrt.com

TOLL FREE: 1800 233 1012 E. info@sunhearrt.com | www.sunhearrt.com

1/15-1, Pushpmangalam Estate, Nr. Bhima Jewellery,

T. +91-74339 70981 | E. showroom1.kl@sunhearrt.com

NH Bye pass, Edappally, Cochin - 682024 (Kerala)

