















60x120cm




Packing and Loading Presentation & Configuration (20ft Container) of 60x120cm


									
PCS / BOX	AREA / BOX	NET WT. / BOX	GROSS WT. / BOX	BOX / PALLET		AREA / PALLET		GROSS WT. / PALLET	
2 pcs	1.44 sq. mtr.	26.60kg	27.05kg	72 Boxes	38 Boxes	103.68 sq. mtr.	54.72 sq. mtr.	1947.60 kg	1027.90 kg

			
BOX / CONTAINER	PALLET / CONTAINER	AREA / CONTAINER	GROSS WT. / CONTAINER
864 Boxes + 152 Boxes	12 Pallets + 4 Pallets	1244.16 sq. mtr. + 218.88 sq. mtr.	23371.20 kg + 4111.60 kg
1016 Boxes	16 Pallets	1463.04 sq. mtr.	27482.80 kg






Thin Brown Paper separator is used between two tiles



Plastic Corner Guard being used as corner protector

Empty Tiles Box Weight & Thickness



- 3 ply corrugated box is used for tiles packing
- 2.6mm(Approx) thickness of empty corrugated box

0.40kg(Approx)
Weight of empty
corrugated box




SUNHEART
CERAMIK

2pcs Tiles Box
Weight & Thickness

26.60kg(Approx)
Weight of box with
packed tiles

20mm(Approx)
thickness of
complete box






1. Pallet is made of normal wood
2. Shorter planks of 1.5cm thickness as 3rd layer.
3. Total 10 Number of wooden strip will be use
4. Size of pallet (approx):

Length	Width	Height
45 inch (114.3cm)	37 inch (93.98cm)	5 inch (12.7cm)

5. Dimensions may vary between $\pm 0-3\%$




Light
Weight




15mm Thickness
of pallet bar



20.85kg(Approx)
Weight of
empty pallet



Gap between Top plank of
the pallet is 20mm



SUNHEARTT
CERAMIK

Type - I
Step 1 Pallet
Packing Process



SUNHEART
CERAMIK


1st strapping
over the entire box set
after palletizing.



Type - I
Step 2 Pallet
Packing Process

SUNHEARRT
CERAMIK

Type - I
Step 3 Pallet
Packing Process



- 72 Boxes are tightly arrange in one pallets
- Hard corrugated strip is used to protect pallet corners






- 4 horizontal & 4 vertical strip is use to tie
- Boxes & wrapped with transparent cling film

SUNHEARRT
CERAMIK

Type - I
Step 5 Container
Loading Process



- 4 horizontal & 4 vertical straps are used to tie then loading is done in container




- 1. Pallet is made of normal wood
- 2. Shorter planks of 2cm thickness as 3rd layer.
- 3. Total 9 Number of wooden strip will be use
- 4. Size of pallet (approx):

Length	Width	Wooden Height	Iron Height
48 inch (121.92cm)	36 inch (91.44cm)	4.5 inch (11.43cm)	22.5 inch (57.15cm)

5. Dimensions may vary between $\pm 0-3\%$




70mm Gap between
top of two
wooden planks



75mm Thickness
of wooden strip



17.75kg(Approx)
Weight of
empty pallet





Type - II
Step 2 Pallet
Packing Process



1st Strapping
over the entire box
set after palletizing.




- 38 Boxes are tightly arrange in one pallets
- Hard corrugated strip is used to protect pallet corners



- 3 horizontal & 3 vertical strips are used to tie
- Boxes & wrapped with transparent cling film

SUNHEARRT
CERAMIK

Type - II
Step 5 Container
Loading Process



- 2 horizontal & 3 vertical straps are used to tie then loading is done in container



20ft Container Loading



Type-I: 12 Pallets
Type-II: 4 Pallets
Total – 16 Pallets

Pallet Layer

1	bag	2
13	14	15
3	bag	4
5	air bag	6
7	air bag	8
9	air bag	10
11	air bag	12



Fumigation is done as per
ISPM-15 by Methyl Bromide



All Wooden pallets are fumigated before loading
and Fumigation stamp is marked as visible on
bottom of all wooden pallets

CORPORATE OFFICE (AHMEDABAD)

101-103, First Floor, Titanium One, Near Pakwan Cross Roads, S. G. Highway, Ahmedabad - 380 054. Gujarat, INDIA

T. +91-79-29704833, +91-79-61554444 | **E.** info@sunheartt.com

MUMBAI OFFICE

301/A, 3rd Floor, Sri Krishna, Opp. Laxmi Industrial Estate,
New Link Road, Andheri (W) Mumbai - 400053 (Maharashtra)

T. +91-99099 80498 | **E.** showroom1.mh@sunheartt.com

CHENNAI OFFICE

"Megh Towers" Old No. 307, New No. 165,
Poonamallee High Road, Maduravoyal, Chennai - 600095 (Tamilnadu)

T. +91-70944 39491 | **E.** showroom2.tn@sunheartt.com

DELHI OFFICE

D-1, Mansarovar Garden, New Delhi-110015

T. +91-95120 00324

E. showroom1.dl@sunheartt.com

COCHIN OFFICE

1/15-1, Pushpmangalam Estate, Nr. Bhima Jewellery,
NH Bye pass, Edappally, Cochin - 682024 (Kerala)

T. +91-74339 70981 | **E.** showroom1.kl@sunheartt.com

BENGALURU OFFICE

150 Rashtriya Vidyalay Road, Nr. Minerva Circle,
Vishweshwarapura, Mavalli, Bangalore - 560004 (Karnataka)

T. +91-95120 00270 | **E.** showroom1.ka@sunheartt.com

INTERNATIONAL ENQUIRY

T. +91-99099 88489 | **E.** export@sunheartt.com

TOLL FREE: 1800 233 1012

E. info@sunheartt.com | **www.sunheartt.com**

