














20x120cm




Packing and Loading Presentation & Configuration (20ft Container) of 20x120cm


						
PCS / BOX	AREA / BOX	NET WT. / BOX	GROSS WT. / BOX	BOX / PALLET	AREA / PALLET	GROSS WT. / PALLET
5 pcs	1.20 sq. mtr.	26.2kg	27.0kg	26 Boxes	31.20 sq. mtr.	711.1kg

			
BOX / CONTAINER	PALLET / CONTAINER	AREA / CONTAINER	GROSS WT. / CONTAINER
936 Boxes	36 Pallets	1123.20 sq. mtr.	25599.6kg






Thin Brown Paper separator is
used between two tiles



Plastic Corner Guard being used
as corner protector

Empty Tiles Box Weight & Thickness




- 3 ply corrugated box is used for tiles packing
- 2.6mm(Approx) thickness of empty corrugated box




0.24kg(Approx)
Weight of empty
corrugated box

SUNHEARRT
CERAMIK

5pcs Tiles Box Weight & Thickness





1. Pallet is made of normal wood
2. Shorter planks of 1.5cm thickness as 3rd layer.
3. Total 8 Number of wooden strip will be use
4. Size of pallet (approx):

Length	Width	Height
48 inch (121.92cm)	29.5 inch (74.93cm)	5.5 inch (13.97cm)

5. Dimensions may vary between $\pm 0-3\%$



Light
Weight




30mm Gap between
top of two
wooden planks



60mm Thickness
of wooden strip



26.95kg(Approx)
Weight of
empty pallet





Total 2 layers of boxes are arranged in one pallet.





- 26 Boxes are tightly arrange in one pallets
- Hard corrugated strip is used to protect pallet corners



- 2 straps horizontally and 8 straps Vertically to tie up boxes, safety strip and Cap. (Blue cap is optional)
- Boxes & wrapped with transparent cling film

SUNHEARRT
CERAMIK

Step 5 Container Loading Process



– Complete Pallet consists of 26 Boxes



Pallet Layer

1	4	7
2	5	8
3	6	9
10	13	16
11	14	17
12	15	18
19	22	25
20	23	26
21	24	27
28	31	34
29	32	35
30	33	36

36 Pallets in 20 feet container



Fumigation is done as per
ISPM-15 by Methyl Bromide



All Wooden pallets are fumigated before loading
and Fumigation stamp is marked as visible on
bottom of all wooden pallets

CORPORATE OFFICE (AHMEDABAD)

101-103, First Floor, Titanium One, Near Pakwan Cross Roads, S. G. Highway, Ahmedabad - 380 054. Gujarat, INDIA

T. +91-79-29704833, +91-79-61554444 | **E.** info@sunheartt.com

MUMBAI OFFICE

301/A, 3rd Floor, Sri Krishna, Opp. Laxmi Industrial Estate,
New Link Road, Andheri (W) Mumbai - 400053 (Maharashtra)

T. +91-99099 80498 | **E.** showroom1.mh@sunheartt.com

CHENNAI OFFICE

"Megh Towers" Old No. 307, New No. 165,
Poonamallee High Road, Maduravoyal, Chennai - 600095 (Tamilnadu)

T. +91-70944 39491 | **E.** showroom2.tn@sunheartt.com

DELHI OFFICE

D-1, Mansarovar Garden, New Delhi-110015

T. +91-95120 00324

E. showroom1.dl@sunheartt.com

COCHIN OFFICE

1/15-1, Pushpmangalam Estate, Nr. Bhima Jewellery,
NH Bye pass, Edappally, Cochin - 682024 (Kerala)

T. +91-74339 70981 | **E.** showroom1.kl@sunheartt.com

BENGALURU OFFICE

150 Rashtriya Vidyalay Road, Nr. Minerva Circle,
Vishweshwarapura, Mavalli, Bangalore - 560004 (Karnataka)

T. +91-95120 00270 | **E.** showroom1.ka@sunheartt.com

INTERNATIONAL ENQUIRY

T. +91-99099 88489 | **E.** export@sunheartt.com

TOLL FREE: 1800 233 1012

E. info@sunheartt.com | **www.sunheartt.com**

