


SUNHEARTT
CERAMIK








Packing & Loading
Presentation & Configurations
(20ft Container)





80x80cm




www.sunhearrt.com

Packing and Loading Presentation & Configuration (20ft Container) of 80x80cm


						
PCS / BOX	AREA / BOX	NET WT. / BOX	GROSS WT. / BOX	BOX / PALLET	AREA / PALLET	GROSS WT. / PALLET
3 pcs	1.92 sq. mtr.	35.25kg	35.80kg	36 Boxes	69.12 sq. mtr.	1288.8kg

			
BOX / CONTAINER	PALLET / CONTAINER	AREA / CONTAINER	GROSS WT. / CONTAINER
720 Boxes	20 Pallets	1382.40 sq. mtr.	25776kg


"MADE IN INDIA"
on back side of tile
(Optional)



Arrow Mark for
direction during
laying of tile.




Thin Brown Paper separator is used between two tiles



Plastic Corner Guard being used as corner protector

Empty Tiles Box Weight & Thickness

0.35kg(Approx)
Weight of empty
corrugated box




- 3 ply corrugated box is used for tiles packing
- 2.7mm(Approx) thickness of empty corrugated box

3pcs Tiles Box Weight & Thickness

35.25kg(Approx)
Weight of box with
packed tiles

33.35mm(Approx)
thickness of
complete box





1. Pallet is made of normal wood
2. Shorter planks of 1.8cm thickness as 3rd layer.
3. Total 10 Number of wooden strip will be use
4. Size of pallet (approx):

Length	Width	Height
44 inch (111.76cm)	44 inch (111.76cm)	4.2 inch (10.7cm)

5. Dimensions may vary between $\pm 0-3\%$



Light
Weight




35mm Gap between
top of two
wooden planks




30mm Thickness
of wooden strip




19.80kg(Approx)
Weight of
empty pallet







1st Strapping
over the entire box
set after palletizing.



- 36 Boxes are tightly arrange in one pallets
- Hard corrugated strip is used to protect pallet corners



- 3 horizontal strips are used to tie
- Boxes & wrapped with transparent cling film

SUNHEARTT
CERAMIK

Step 5 Container Loading Process



- 6 vertical straps are used to tie then loading is done in container



20 Pallets in 20 feet container

Pallet Layer

1	air bag	3
2		4
5	air bag	7
6		8
9	air bag	11
10		12
13	air bag	15
14		16
17	air bag	19
18		20



Fumigation is done as per
ISPM-15 by Methyl Bromide



All Wooden pallets are fumigated before loading
and Fumigation stamp is marked as visible on
bottom of all wooden pallets

CORPORATE OFFICE (AHMEDABAD)

101-103, First Floor, Titanium One, Near Pakwan Cross Roads, S. G. Highway, Ahmedabad - 380 054. Gujarat, INDIA

T. +91-79-29704833, +91-79-61554444 | **E.** info@sunheartt.com

MUMBAI OFFICE

301/A, 3rd Floor, Sri Krishna, Opp. Laxmi Industrial Estate,
New Link Road, Andheri (W) Mumbai - 400053 (Maharashtra)

T. +91-99099 80498 | **E.** showroom1.mh@sunheartt.com

CHENNAI OFFICE

"Megh Towers" Old No. 307, New No. 165,
Poonamallee High Road, Maduravoyal, Chennai - 600095 (Tamilnadu)

T. +91-70944 39491 | **E.** showroom2.tn@sunheartt.com

DELHI OFFICE

D-1, Mansarovar Garden, New Delhi-110015

T. +91-95120 00324

E. showroom1.dl@sunheartt.com

COCHIN OFFICE

1/15-1, Pushpmangalam Estate, Nr. Bhima Jewellery,
NH Bye pass, Edappally, Cochin - 682024 (Kerala)

T. +91-74339 70981 | **E.** showroom1.kl@sunheartt.com

BENGALURU OFFICE

150 Rashtriya Vidyalay Road, Nr. Minerva Circle,
Vishweshwarapura, Mavalli, Bangalore - 560004 (Karnataka)

T. +91-95120 00270 | **E.** showroom1.ka@sunheartt.com

INTERNATIONAL ENQUIRY

T. +91-99099 88489 | **E.** export@sunheartt.com

TOLL FREE: 1800 233 1012

E. info@sunheartt.com | **www.sunheartt.com**

