


Packing & Loading
Presentation & Configurations
(20ft Container)

axi marble


120x120cm





Packing and Loading Presentation & Configuration (20ft Container) of 120x120cm












Well-Protected Tiles Packaging



Tiles must be packed inthe box with back side face & Laminated plastic sheet to be used as a separator between 2 tiles.



Empty Tiles Box Weight & Thickness



- 3 ply corrugated box is used for tiles packing
- 2.30mm(Approx) thickness of empty corrugated box






2pcs Tiles Box Weight & Thickness

25mm(Approx) thickness of complete box





Type - I Pallet Details



5. Dimensions may vary between ±0-3%

Width

30 inch

(76.20cm)

(10.92cm)

(116.84cm)

1. Pallet is made of normal wood

4. Size of pallet (approx):

Length


48 inch

(121.92cm)












Type - I Step 1 Pallet Packing Process






Type - I Step 2 Pallet Packing Process

1st Strapping over the entire 28 boxes set after palletizing.





Type - I Step 3 Pallet Packing Process

- 28 Boxes are tightly arrange in one pallets

- Hard corrugated strip is used to protect pallet corners



Type - I Step 4 Pallet Packing Process




- 4 horizontal & 6 vertical strip is use to tie

- Boxes & wrapped with transparent cling film



Type - I Step 5 Container Loading Process





- 1. Pallet is made of normal wood
- 2. Shorter planks of 1.5cm thickness as 3rd layer.
- 3. Total 5 Number of wooden strip will be use
- 4. Size of pallet (approx):


Length	Width	Height
48 inch	48 inch	4.8 inch
(121.92cm)	(121.92cm)	(12.20cm)

5. Dimensions may vary between ±0-3%

















Type - II Step 2 Pallet Packing Process



- 20 Boxes are tightly arrange in one pallets
- Hard corrugated strip is used to protect pallet corners



Type - II Step 3 Pallet Packing Process



- 3 horizontal & 3 vertical strip is use to tie
- Boxes & wrapped with transparent cling film




SUNHEARRT CERAMIK

20ft Container Loading



Type-II: 13 Pallets
Type-II: 4 Pallets
Total - 17 Pallets

Pallet Layer









Fumigation is done as per ISPM-15 by Methyl Bromide



All Wooden pallets are fumigated before loading and Fumigation stamp is marked as visible on bottom of all wooden pallets



CORPORATE OFFICE (AHMEDABAD)

101-103, First Floor, Titanium One, Near Pakwan Cross Roads, S. G. Highway, Ahmedabad - 380 054. Gujarat, INDIA **T.**+91-79-29704833, +91-79-61554444 | **E.** info@sunhearrt.com

MUMBAI OFFICE

301/A, 3rd Floor, Sri Krishna, Opp. Laxmi Industrial Estate, New Link Road, Andheri (W) Mumbai - 400053 (Maharashtra) T. +91-99099 80498 | E. showroom1.mh@sunhearrt.com

DELHI OFFICE

D-1, Mansarovar Garden, New Delhi-110015 **T.** +91-95120 00324 **E.** showroom1.dl@sunhearrt.com

BENGALURU OFFICE

150 Rashtriya Vidyalay Road, Nr. Minerva Circle, Vishweshwarapura, Mavalli, Bangalore - 560004 (Karnataka) T. +91-95120 00270 | E. showroom1.ka@sunhearrt.com

CHENNAI OFFICE

"Megh Towers" Old No. 307, New No. 165,
Poonamallee High Road, Maduravoyal, Chennai - 600095 (Tamilnadu)
T. +91-70944 39491 | E. showroom2.tn@sunhearrt.com

COCHIN OFFICE

1/15–1, Pushpmangalam Estate, Nr. Bhima Jewellery, NH Bye pass, Edappally, Cochin - 682024 (Kerala)

T. +91-74339 70981 | E. showroom1.kl@sunhearrt.com

INTERNATIONAL ENQUIRY

T. +91-99099 88489 | E. export@sunhearrt.com

TOLL FREE: 1800 233 1012

E. info@sunhearrt.com | www.sunhearrt.com















