
Packing & Loading Presentation & Configurations (20ft Container) Type 02




60x120cm - Slim



www.sunhearrt.com

Packing and Loading Presentation & Configuration (20ft Container) of 60x120cm – Slim



















Thin Brown Paper separator is used between three tiles

SUNHEARRT

CERAMIK

Plastic Corner Guard being used as corner protector

Empty Tiles Box Weight & Thickness

0.40kg(Approx) Weight of empty corrugated box

10 150



SUNHEARRT CERAMIK

600x1200mm GLAZED PORCELAIN TILES



2.6mm

SUNHEARRT

CERAMIK

- 3 ply corrugated box is used for tiles packing
- 2.6mm(Approx) thickness of empty corrugated box


SUNHEARRT CERAMIK

3pcs Tiles Box Weight & Thickness



23mm(Approx) thickness of complete box





- 1. Pallet is made of normal wood
- 2. Shorter planks of 1.5cm thickness as 3rd layer.
- 3. Total 10 Number of wooden strip will be use
- 4. Size of pallet (approx):


Length	Width	Height
45 inch	37 inch	5 inch
(114.3cm)	(93.98cm)	(12.7cm)

5. Dimensions may vary between $\pm 0-3\%$





Type – I Pallet Details





Type – I Step 1 Pallet Packing Process





1st strapping over the entire box set after palletizing.



Type – I Step 2 Pallet Packing Process



Type – I Step 3 Pallet Packing Process



- 60 Boxes are tightly arrange in one pallets
- Hard corrugated strip is used to protect pallet corners



Type – I Step 4 Pallet Packing Process

- 4 horizontal & 4 vertical strip is use to tie
- Boxes & wrapped with transparent cling film



Type – I Step 5 Container Loading Process

- 4 horizontal & 4 vertical straps are used to tie then loading is done in container



4. Size of pallet (approx): Iron Height Length Width Wooden Height 48 inch 36 inch 22.5 inch 4.5 inch

(11.43cm)

(57.15cm)

5. Dimensions may vary between $\pm 0-3\%$

(91.44cm)

(121.92cm)

SUNHEARRT

CERAMIK









70mm Gap between top of two wooden planks



17.75kg(Approx) Weight of empty pallet


75mm Thickness of wooden strip




Type – II

Step 1 Pallet

SUNHEARRT CERAMIK











- 28 Boxes are tightly arrange in one pallets
- Hard corrugated strip is used to protect pallet corners



Type – II Step 4 Pallet Packing Process



- 3 horizontal & 3 vertical strips are used to tie
- Boxes & wrapped with transparent cling film

SUNHEARRT CERAMIK Type – II Step 5 Container Loading Process

- 3 horizontal & 3 vertical straps are used to tie then loading is done in container

CFRAM



20ft Container Loading



Pallet Layer

1 13	a <mark>r</mark> t pag	2 15	
3	16	4	
5	air bag	6	
7	air bag	8	
9	air bag	10	
11	air bag	12	

Type-I: 12 Pallets Type-II: 4 Pallets Total - 16 Pallets



Fumigation Process





Fumigation is done as per ISPM-15 by Methyl Bromide

All Wooden pallets are fumigated before loading and Fumigation stamp is marked as visible on bottom of all wooden pallets



CORPORATE OFFICE (AHMEDABAD)

101–103, First Floor, Titanium One, Near Pakwan Cross Roads, S. G. Highway, Ahmedabad – 380 054. Gujarat, INDIA **T.**+91–79–29704833, +91–79–61554444 | **E.** info@sunhearrt.com

MUMBAI OFFICE

301/A, 3rd Floor, Sri Krishna, Opp. Laxmi Industrial Estate, New Link Road, Andheri (W) Mumbai - 400053 (Maharashtra) **T.** +91–99099 80498 | **E.** showroom1.mh@sunhearrt.com

CHENNAI OFFICE

COCHIN OFFICE

"Megh Towers" Old No. 307, New No. 165, Poonamallee High Road, Maduravoyal, Chennai - 600095 (Tamilnadu) **T.** +91-70944 39491 | **E.** showroom2.tn@sunhearrt.com

DELHI OFFICE

D-1, Mansarovar Garden, New Delhi-110015 T. +91-95120 00324 E. showroom1.dl@sunhearrt.com

BENGALURU OFFICE

150 Rashtriya Vidyalay Road, Nr. Minerva Circle, Vishweshwarapura, Mavalli, Bangalore - 560004 (Karnataka) **T.** +91–95120 00270 | **E.** showroom1.ka@sunhearrt.com

INTERNATIONAL ENQUIRY

T. +91-99099 88489 | E. export@sunhearrt.com

TOLL FREE: 1800 233 1012 E. info@sunhearrt.com | www.sunhearrt.com

1/15-1, Pushpmangalam Estate, Nr. Bhima Jewellery,

T. +91-74339 70981 | E. showroom1.kl@sunhearrt.com

NH Bye pass, Edappally, Cochin - 682024 (Kerala)

